



PRIZOR VIZTECH LIMITED

PZTFHD-43GTV



KEY FEATURES

- ◆ PRIZOR GOOGLE SMART TV 43 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID 11.0
- ◆ CONNECTIVITY: 2 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 43 INCH 109 CM
- ◆ ROM-8 GB & RAM – 1.5GB
- ◆ 1080P RESOLUTION SUPPORTED

Google TV 7000+ APPS



1800-123-3699  www.prizor.in



SPECIFICATIONS

Model	PZTFHD-43GTV	
Resolution	FHD 1920*1080	
Open Cell	HKC/BOE/LG..	
BLU Power	40W	
Android Features		
Chipset	Real Teck with Google TV 3.0 ver	
Solution (OS)	Android 11.0	
CPU	ARM Cortex-A55 Quad-Core /1.3GHz	
GPU	G31MP2 Multi-Core	
ROM/eMMC	8GB	
RAM/DDR	1.5GB	
LAN	RJ-45	
Wi-Fi (802.11)	2.4 GHz & 5.8GHz	
(Selected App) Google Play store support for TV	Yes	
I/O Ports	Qty	
RF	Yes	75 ohms
AV IN	1	3.5mm jack
USB	2	V-2.0
HDMI	2	Standard
LAN	1	RJ-45
Wi-Fi	Yes	2.4 GHz & 5.8GHz
Optical out	Yes	RCA
Ear Phone	1	Mini (3.5mm)
FEATURES		
Screen Size	42.52" (109 Cm)	
Contrast Ratio	2,00,000:1	
Brightness	> 350 nits	
Viewing Angle	178° H/178° V	
Response Time	8 ms	
Main Board	3in1 Board	



SPECIFICATIONS

SPEAKER	34*94 - 8E/10W BOX SPK		
DOLBY AUDIO	YES		
PRELOAD APPS	YES		
HDR 10 SUPPORT	YES		
SCREEN CAST	YES		
BLUETOOTH	YES		
GOOGLE VOICE ASSISTANCE FUNCTION	YES		
GOOGLE USER LOGIN FOR TV	YES		
OSD LANGUAGE	ENGLISH, HINDI OPTIONAL		
VIDEO INPUT - RF			
COLOR SYSTEM	PAL, SECAM		
VIDEO	1VP-P @75 OHM \pm 5%		
AUDIO	500MV RMS		
VIDEO INPUT - CVBS			
SYNC	H:30-75KHZ, V:56-75HZ		
VIDEO	0.7VP-P @ 75OHM		
RESOLUTION	UP TO 1920*1080@60HZ		
VIDEO INPUT - HDMI			
VIDEO	STANDARD TDMS FORMAT		
RESOLUTION	480I, 480P, 576I, 576P, 720P, 1080I, 1080P		
USB MULTIMEDIA PLAYBACK FORMAT			
MEDIA	FILE	VIDEO	AUDIO
MOVIE	.AVI	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.264	
	.MP4	MPEG-2, MPEG-4, H.264	
	.TS/.TR	MPEG-2, H.264	
	.MKV/MOV	MPEG-2, H.265	
	.MPG	MPEG-2, H.264	
	.DAT	MPEG-1	MP2
	.VOB	MPEG-2	
.RM/.RMVB	RV8, RV9, RV10	COOK	



SPECIFICATIONS

MUSIC	.MP3	-	MP3
	.M4A/.AAC	-	AAC
PHOTO	.JPG/.JPEG	PROGRESSIVE JPEG	MAX RESOLUTION 1024*768
		BASELINE JPEG	MAX RESOLUTION 15360*6400
	.BMP		MAX RESOLUTION 9600*6400
	.PNG	NON-INTERLACED	MAX RESOLUTION 9600*6400
INTERLACED		MAX RESOLUTION 1200*800	
TEXT	.TXT	ANSI/UNICODE GB/UTF8	FILE SIZE : 1MB MAX
INPUT ELECTRICAL SPECIFICATIONS			
VOLTAGE		100~240V AC	
CURRENT		0.3A MAX	
FREQUENCY		50HZ/60HZ \pm 5%	
INRUSH CURRENT (COLD START)		70A TYPE PEAK, 230V AC	
EFFICIENCY (FULL LOAD)		80% (FULL LOAD WITH 230VAC)	
LEAKAGE CURRENT		LESS THAN 0.5MA, 230VAC INPUT	
STANDBY POWER LOSS		\leq 0.5W 230VAC INPUT AND NO LOAD	
INPUT FUSE		T3.15AL/250VAC	
OUTPUT ELECTRICAL SPECIFICATIONS			
MAX POWER CONSUMPTION		75W MAX (O/P)	
NET WEIGHT		7.2KGS (APPROX.)	
GROSS WEIGHT		10.30 KG (APPROX.)	
NET DIMENSION(MM)		965 X 560 X 90	
GROSS DIMENSION(MM)		1070 X 160 X 645	

