



PRIZOR VIZTECH LIMITED

PZT4KFL-55FAS



55"

KEY FEATURES

- ◆ PRIZOR SMART TV 55 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID 9.0
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 55 INCH 140 CM
- ◆ ROM-16GB & RAM – 2 GB
- ◆ 4K RESOLUTION SUPPORTED



1800-123-3699  www.prizor.in



SPECIFICATIONS

MODEL		PZT4KFL-55FAS
Screen Size		140 cm
Resolution		UHD-3840*2160
Aspect Ratio		16:9
Contrast Ratio		20,00,000:1
Open Cell		BOE/LG
BLU		100W
Android Features		
Solution		MLOGIC/T972
Main Board		Android 9.0
CPU		A55 / 1.9GHz (Quad core)
CPU FREQ.		1.9GHz
GPU		Mali-G31 MP2
GPU FREQ.		800MHz
ROM		16GB
RAM		2GB
LAN		RJ-45
Wi-Fi		2.4 GHz
I/O Ports	Qty	
AV IN	2	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
EarPhone	1	3.5 mm socket
RF IN (Optional)	1	75 ohms
Wi-Fi	Yes	2.4GHz
LAN	Yes	RJ - 45
FEATURES		
Brightness		> 350 nits
Viewing Angle		178° (H) / 178° (V)
Response Time		6.5ms
Main Board		3in1 Board
Sound O/p		2*8W, 8 Ohm
Speaker		34*94 - 8E/10W Box SPK



SPECIFICATIONS

MODEL		PZT4KFL-55FAS	
Preload Apps	Yes	Preload Apps	Yes
Miracast/ MaxHub/Eshare	Yes	Miracast/ MaxHub/Eshare	Yes
Bluetooth Support	External device (Optional)	Bluetooth Support	External device (Optional)
Voice command support (limited)	External device (Optional)	Voice command support (limited)	External device (Optional)
Cloud TV UI	Supported (with movie box 5000+ movies)	Cloud TV UI	Supported (with movie box 5000+ movies)
OSD Language	English	OSD Language	English
Video Input - TV		Video Input - TV	
Video System	PAL	Video System	PAL
Sound System	BG, DK, I	Sound System	BG, DK, I
Storage Channel	99	Storage Channel	99
Video Input - CBVS		Video Input - CBVS	
Color System	PAL, SECAM	Color System	PAL, SECAM
Video	1Vp-p @75 Ohm \pm 5%	Video	1Vp-p @75 Ohm \pm 5%
Audio	500mV RMS	Audio	500mV RMS
Video Input - PC-RGB		Video Input - PC-RGB	
Sync	H:30-75KHz, V:56-75Hz		
Video	0.7Vp-p @ 75Ohm		
Resolution	Up to 3840*2160@60Hz		
Video Input - HDMI			
Video	Standard TDMS format		
Resolution	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p/i		
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi .mp4 .ts/.tr .mkv/mov 4 K	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.265	
		MPEG-2, MPEG-4, H.265	
		MPEG-2, H.265	
		MPEG-2, H.264	
	.mpg	H.265/HEVC/MPEG-4- FPS-30	MP2 COOK
	.dat	MPEG-1	
	.vob	MPEG-2	
	.rm/.rmvb	RV8, RV9, RV10	



SPECIFICATIONS

MODEL		PZT4KFL-55FAS
Music	.mp3	-
	.m4a/.aac	-
Photo	.jpg/.jpeg	Progressive JPEG
		Baseline JPEG
	.bmp	
	.png	Non-Interlaced
Input Electrical Specifications		
Voltage		100~240V AC
Current		2.0A max
Frequency		50Hz/60Hz \pm 5%
Inrush Current (Cold Start)		70A type peak, 230V ac
Efficiency (full load)		80% (full load with 230Vac)
Leakage Current		Less than 0.5mA, 230 Vac input
Standby Power Loss		< 0.5W 230Vac input and no load
Input Fuse		T5.1AH/250Vac
Output Electrical Specifications		
Max Power Consumption		< 140 watt
Net Weight		12.6 Kgs (Approx.)
Gross weight		21 kg (approx.)
Net Dimension(mm)		1227 x 710 x 80
Gross Dimension(mm)		1340 x 810 x 160

