




PRIZOR VIZTECH LIMITED

PZT4KFL-55FAS-WOS

QUANTUM
DOT
JAPANESE
TECHNOLOGY



55"

 INBUILT SOUND BAR

KEY FEATURES

- ◆ PRIZOR 4K SMART TV 55 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: WEBOS
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 55 INCH 140 CM
- ◆ ROM-8GB & RAM – 1.5 GB
- ◆ 4K RESOLUTION SUPPORTED

webOS TV



 1800-123-3699  www.prizor.in



SPECIFICATIONS

MODEL	PZT4KFL-55FAS-WOS	
Screen Size	140 cm	
Resolution	UHD-3840*2160	
Aspect Ratio	16:9	
Contrast Ratio	20,00,000:1	
Open Cell	BOE/LG/Innolux...	
BLU	100W	
Android Features		
Chipset	RTD2874SFA-GR	
OS	Web OS	
Main Board	RT2874.PC821 (T)	
ROM/Flash	8GB	
RAM/DDR 3	1.5GB	
LAN	RJ-45	
Wi-Fi	2.4 GHz & 5 GHz	
Connectivity Features	Qty	
AV IN	1	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
EarPhone	Yes	3.5 mm socket
RF IN (Optional)	Yes	75 ohms
Wi-Fi (Dual band)	Yes	2.4GHz + 5.0GHz
LAN	Yes	RJ - 45
FEATURES		
Brightness	> 350 nits	
Viewing Angle	178° (H) / 178° (V)	
Response Time	6.5ms	
Main Board	3in1 Board	
Sound O/p	2*8W, 8 Ohm	
Speaker	34*94 - 8E/10W Box SPK	
Preload Apps	Yes	
Miracast	Yes	
ThinQ AI	Yes	



SPECIFICATIONS

MODEL	PZT4KFL-55FAS-WOS		
Bluetooth Support	2.1+EDR/4.2/5.		
Voice command support (as per webOS)	Yes		
alexa support	Yes		
Dolby Audio	Yes		
Magic remote	Yes		
OSD Language	English		
Video Input - TV			
Video System	PAL		
Sound System	BG, DK, I		
Storage Channel	99		
Video Input - CBVS			
Color System	PAL, SECAM		
Video	1Vp-p @ 75 Ohm \pm 5%		
Audio	500mV RMS		
Video Input - PC-RGB			
Sync	H:30-75KHz, V:56-75Hz		
Video	0.7Vp-p @ 75Ohm		
Resolution	Up to 3840*2160@60Hz		
Video Input - HDMI			
Video	Standard TDMS format		
Resolution	480i, 480p, 576i, 576p, 720p,1080i,1080p,2160p/i		
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.265	
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov	MPEG-2, H.264	
	4 K	H.265/HEVC/MPEG-4-FPS-30	
	.mpg	MPEG-2, H.265	
	.dat	MPEG-1	MP2
.vob	MPEG-2	COOK	
.rm/.rmvb	RV8, RV9, RV10		



SPECIFICATIONS

MODEL		PZT4KFL-55FAS-WOS
Music	.mp3	-
	.m4a/.aac	-
Photo	.jpg/.jpeg	Progressive JPEG
		Baseline JPEG
	.bmp	
	.png	Non-Interlaced
Input Electrical Specifications		
Voltage		100~240V AC
Current		2.0A max
Frequency		50Hz/60Hz \pm 5%
Inrush Current (Cold Start)		70A type peak, 230V ac
Efficiency (full load)		80% (full load with 230Vac)
Leakage Current		Less than 0.5mA, 230Vac input
Standby Power Loss		\leq 0.5W 230Vac input and no load
Input Fuse		T5.1AH/250Vac
Output Electrical Specifications		
Max Power Consumption		< 140 watt
Net Weight		12.6 Kgs (Approx.)
Gross weight		21 kg (approx.)
Net Dimension(mm)		1227 x 710 x 80
Gross Dimension(mm)		1340 x 810 x 160

